MARBEC SRL Revision nr. 3 Dated 25/06/2020 Printed on 25/06/2020 Page n. 1/15 Page n. 1/15

Safety data sheet

According to reg. (EU) 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

Code: 0030240
Product name. FLORA
Chemical name and synonym. FLORA

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Sector of use SU22 – Professional uses SU21 – Consumer uses

Category of products PC35- Washing and Cleaning Products (including solvent based products)

Intended use Detergent for hard surfaces

1.3. Details of the supplier of the safety data sheet.

Name. MARBEC SRL

Full address. VIA CROCE ROSSA 5/i
District and Country. 51037 MONTALE (PISTOIA)

ITALY

Tel. +39 0573/959848 Fax. +39 0573/959385

e-mail address of the competent person.

responsible for the Safety Data Sheet. info@marbec.it

1.4. Emergency telephone number.

For urgent inquiries refer to. MARBEC srl

+39 0573959848 h8.30-13 h14-18 or +39 3357267921 Telephone number of Poison centers open 24/24 h IRCSS Fondazione Maugeri – Pavia 0039-0382-24444 CAV Ospedali Riuniti – Bergamo 0039-800-883300

CAV Ospedale Niguarda Ca` Granda - Milano 0039-02-66101029

CAV Ospedale Careggi- Firenze 0039-055-7947819 CAV Policlinico Gemelli – Roma 0039-06-3054343 CAV Policlinico Umberto I – Roma 0039-06 49978000 CAV Ospedale Cardarelli – Napoli 0039-081 5453333

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

Revision nr. 3 **MARBEC SRL** Dated 25/06/2020 Printed on 25/06/2020 0030240 - FLORA Page n. 2/15

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

Contains: 7 moles ethoxylated aliphatic alcohol, Quaternary ammonium compounds, benzyl C12-C16 alkydimethyl,

chlorides

Ingredients compliant with Regulation (EC) No. 648/2004

Cationic surfactants <1% and non-ionic surfactants lower than 5%, perfume (Coumarin, Cineole, (R) -p-Mentha-1,8-

diene).

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification.

Classification 1272/2008 (CLP).

Alcohols C 11-13- branched ethoxylated

CAS. 68439-54-3

 $1 \le x < 3$

Acute Tox. 4 H302, Eye Dam.

EC. -INDEX. -

Reg. no. Polymer

MARBEC SRL

0030240 - FLORA

Revision nr. 3

Dated 25/06/2020

Printed on 25/06/2020
Page n. 3/15

DIPROPYLENE GLYCOL MONOMETHYL ETHER

CAS. 34590-94-8

1 ≤ x < 5

Substance with a community workplace

EC. 252-104-2

INDEX. -

Reg. no. 01-2119450011-60-xxxx

benzyl-C12-16-alkyldimethyl, chlorides

CAS. 68424-85-1

 $0 \le x < 0.25$

Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic

Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC. 270-352-2 INDEX. -

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

MARBEC SRL	Revision nr. 3
	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
	Page n. 4/15

The product is neither flammable nor combustible.

5.3. Advice for firefighters.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

MARBEC SRL	Revision nr. 3
	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
	Page n. 5/15

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

GBR

ITA

ΕU

PRT

ESP España LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS

EN ESPAÑA 2019 (INSST)

FRA France Valeurs limites d'exposition professionnelle aux agents chimiques en

France. ED 984 - INRS

United Kingdom EH40/2005 Workplace exposure limits (Third edition, published 2018)
Italia DIRETTIVA (UE) 2017/164 DELLA COMMISSIONE del 31 gennaio 2017
Portugal Ministério da Economia e do Emprego Consolida as prescrições mínimas

em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho -

Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018

Direttiva (UE) 2017/2398; Direttiva (UE) 2017/164; Direttiva 2009/161/UE;

Direttiva 2006/15/CE; Direttiva 2004/37/CE; Direttiva 2000/39/CE; Direttiva

91/322/CEE.

TLV-ACGIH ACGIH 2019

DIPROPYLENE GLYCOL MONOMETHYL ETHER

OEL EU

Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
VLEP							
	FRA	308	50			SKIN	
WEL							
	GBR	308	50			SKIN	
VLEP							
	ITA	308	50			SKIN	
VLE							
	PRT	308	50			SKIN	
OEL							
	EU	308	50			SKIN	
TLV-ACGIH							
		606	100	909	150	SKIN	

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

MARBEC SRL Revision nr. 3 0030240 - FLORA Printed on 25/06/2020 Page n. 6/15 Page n. 6/15

HAND PROTECTION

If prolonged contact with the product is envisaged, it is advisable to protect the hands with penetration resistant work gloves (see standard EN 374).

SKIN PROTECTION

Personal protection of the skin is usually not necessary. Skin protection necessary for: splashes, skin contact, spray application

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Appearance

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

Not necessary for normal use.

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

liquid

9.1. Information on basic physical and chemical properties.

Colour light blue Odour lavender Odour threshold. Not available. pH. 7-8 Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. Flash point. Not applicable. Evaporation rate Not available. Flammability (solid, gas) not flammable Lower inflammability limit. Not applicable. Not applicable. Upper inflammability limit. Lower explosive limit. Not applicable. Upper explosive limit. Not applicable. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,000 Kg/l Solubility soluble in water Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not applicable. Decomposition temperature. Not available. Not available. Viscosity Explosive properties not applicable Oxidising properties not applicable

9.2. Other information.

VOC (Directive 2010/75/EC): 24,00 gr/lt

VOC (volatile carbon): 1,36 % - 13,60 g/litre.

MARBEC SRL	Revision nr. 3
	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
0030240 125NA	Page n. 7/15

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product

11.1. Information on toxicological effects.

MARBEC SRL

0030240 - FLORA

Revision nr. 3

Dated 25/06/2020 Printed on 25/06/2020

Page n. 8/15

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY.

LC50 (Inhalation) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture:>2000 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component).

Alcohols C 11-13- branched ethoxylated

LD50 (Oral).>300 mg/kg rat

LD50 (Dermal).> 2000 mg/kg rabbit

benzyl-C12-16-alkyldimethyl, chlorides

LD50 (Oral) 795 mg/kg rat

LD50 (Dermal) > 5000 mg/kg calculated

SKIN CORROSION / SKIN IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / EYE IRRITATION.

Causes serious eye irritation.

SENSITIZATION.

Does not meet the classification criteria for this hazard class.

MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

TOXICITY FOR INHALATION.

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

12.1. Toxicity.

Alcohols C 11-13- branched ethoxylated

 LC50 - for Fish.
 5 mg/l/96h

 EC50 - for Crustacea.
 5 mg/l/48h

 EC50 - for Algae / Aquatic
 5 mg/l/72h

Plants.

Chronic NOEC for Algae / 10 mg/kg Method OECD 208

Aquatic Plants.

MARBEC SRL

0030240 - FLORA

Revision nr. 3

Dated 25/06/2020 Printed on 25/06/2020

Page n. 9/15

benzyl-C12-16-alkyldimethyl, chlorides

LC50 - for Fish. 0,19 mg/l/96h trota iridea

EC50 - for Crustacea. 0,16 mg/l/48h EC50 - for Algae / Aquatic Plants. 0,027 mg/l/72h

12.2. Persistence and degradability.

benzyl-C12-16-alkyldimethyl, chlorides Rapidly biodegradable.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Solubility in water. 1000 - 10000 mg/l

Rapidly biodegradable.

Alcohols C 11-13- branched ethoxylated Rapidly biodegradable.

12.3. Bioaccumulative potential.

DIPROPYLENE GLYCOL MONOMETHYL ETHER Partition coefficient: n-

0,0043

octanol/water.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

MARBEC SRL	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
	Page n. 10/15
SECTION 14. Transport information.	
14.1. UN number.	
Not subject to transportation restrictions.	
14.2. UN proper shipping name.	
Not applicable.	
14.3. Transport hazard class(es).	
Not subject to transportation restrictions.	
14.4. Packing group.	
Not applicable.	
14.5. Environmental hazards.	
Not applicable.	
14.6. Special precautions for user.	
Not applicable.	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.	
Information not relevant.	
SECTION 15. Regulatory information.	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.	
Seveso category - Directive 2012/18 / EC: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.	
Product. Point. 3	

MARBEC SRL | Revision nr. 3 | | Dated 25/06/2020 | | Printed on 25/06/2020 | | Page n. 11/15 |

Substances in Candidate List (Art. 59 REACH).

None

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

A chemical safety assessment has been made for the mixture. See attached exposure scenarios.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008

Revision nr. 3 **MARBEC SRL** Dated 25/06/2020 Printed on 25/06/2020 0030240 - FLORA Page n. 12/15

- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 of European parliament (VII Atp. CLP)
- 11. Regulation (EU) 2016/918 of European parliament (VIII Atp. CLP)
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

ECHA Agency website

-Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 03 / 10 / 11 / 12 / 16.

EXPOSURE SCENARIO OF THE PRODUCT

APPENDIX: EXPOSURE SCENARIOS N.1

MARBEC SRL	Revision nr. 3
	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
	Page n. 13/15

PHASE: TRANSFER OF PROFESSIONAL PRODUCT IN CONTAINER (BUCKET / MACHINERY) (ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without dilution); the operator is directly exposed to the product.

OPERATIVE CONDITIONS

Maximum duration	50 minutes/days
Conditions of process	Process takes place at room temperature. In case of dilution, tap water at a maximum temperature of 45 °C. No local ventilation required (LEV); general good ventilation is sufficient at the workplace
RISK MANAGEMENT MEASURES	
Conditions and measures in relation to personal protective equipment (PPE), hygiene and health evaluation	Use protective gloves and goggles. See section 8 for specifications Ensure adequate staff training in relation to use and maintenance

ADVICE OF GOOD PRACTICE

ADVICE OF GOOD PRACTICE	
Do not eat or drink, do not smoke or use open flames	
Wash hands after use. Avoid contact with injured skin Do not mix with other products.	8! *
Instructions for spillage	Dilute with water and collect.
Additional advices	Follows the instructions on the label, technical sheet and safety data sheet at section 7.

ENVIRONMENTAL MEASURES: Do not allow undiluted product to reach surface water. PROPERTIES OF

THE COMPOSITION OF THE PRODUCT

The Classification of the product is on the label and in section 2. of the SDS

The classification of the product is based on that of the ingredients. The list of ingredients that contributes to the classification of the product is in the section 3 of the SDS.

The relevant limit values of the ingredients on which the exposure assessment is based are reported in section 8 of the SDS

The product may contain sensitizing components that may cause in some subjects an

allergic reaction. The section 2 of the SDS reports these sensitizers if applicable to the product.

DESCRIPTORS OF USE

CII 22.	Professiona	Luco
30/2.	FIUITAMUNIA	ıuse

PC 35: Washing and Cleaning Products (including solvent based products)

MARBEC SRL Revision nr. 3 Dated 25/06/2020 Printed on 25/06/2020 Page n. 14/15 Page n. 14/15

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems If is the case, AISE SpERC 8a.1.a.v2 can be applied: wide dispersive use in cleaning and maintenance products "Down the drain" that are treated by a municipal sewage treatment plant.

APPENDIX: EXPOSURE SCENARIO- N.2

PHASE: USE AT BRUSH OR SPONGE WITH PROFESSIONAL DILUTED PRODUCT (ref AISE GEIS.10.1.a.v1) Treatment at brush or sponge with diluted product: it can follow brushing with dry cloth or water (ex. Multipurpose detergent).

OPERATIVE CONDITIONS

Maximum duration	480 minutes/days
Conditions of process	Process takes place at room temperature. No local ventilation required (LEV); general good ventilation is sufficient at the workplace

RISK MANAGEMENT MEASURES

Conditions and measures in relation to personal	
protective equipment (PPE), hygiene and health	No PPE necessary
evaluation	

ADVICE OF GOOD PRACTICE

Do not eat or drink, do not smoke or use open flames	
Wash hands after use. Avoid contact with injured skin Do not mix with other products	\$! _
Instructions for spillage	Dilute with water and collect.
Additional advices	Follows the instructions on the label, technical sheet and safety data sheet at section 7.

ENVIRONMENTAL MEASURES: Do not allow undiluted product to reach surface water.

PROPERTIES OF THE COMPOSITION OF THE PRODUCT

The Classification of the concentrated product is on the label and in section 2. of the SDS

The classification of the product is based on that of the ingredients. The list of ingredients that contributes to the classification of the product is in the section 3 of the SDS.

The relevant limit values of the ingredients on which the exposure assessment is based are reported in section 8 of the SDS

The product may contain sensitizing components that may cause in some subjects an

DDESCRIPTORSCH

SU 22: Professional use

MARBEC SRL	Revision nr. 3
	Dated 25/06/2020
0030240 - FLORA	Printed on 25/06/2020
	Page n. 15/15

PC 35: Washing and Cleaning Products (including solvent based products)

PROC 10: Roller application or brushing

ERC 8a: Wide dispersive indoor use of processing aids in open systems If is the case, AISE SpERC 8a.1.a.v2 can be applied: wide dispersive use in cleaning and maintenance products "Down the drain" that are treated by a municipal sewage treatment plant.